PATENT ABSTRACTS OF JAPAN

(11)Publication number: 2002-238580 (43)Date of publication of application: 27.08.2002

(51) IntCl.

C12N 15/09
A01H 5/00
C12N 5/10
C12N 9/10
C12P 21/02

(21)Application number: 2001-044359 (71)Applicant: TANGUCHINAOYUKI

SEKITATSUJI

FUJIYAMA KAZUHITO

SUNTORY LTD

(22)Date of filing: 20.02.2001 (72)Inventor: TANGUCHINAOYUKI

SEKITATSUJI

FUJIYAMA KAZUHITO

(54) PLANT CELL HAVING AN MAL-TYPE SUGAR CHAIN-ADDING FUNCTION

(57)Abstract:

PROBLEM TO BE SOLVED: To provide a plant cell having an animal-type sugar chain. SOLUTION: A plant cell having an animal-type sugar chain-adding function. The plant cell is prepared by introducing a gene encoding an animal-derived enzyme which can transfer N-acetylglucosam ine into a mannose residue of a sugar chain contained in a sugar protein.

(19)日本国特許庁 (JP) (12) 公開特許公報 (A) (11)特許出願公開番号

特開2002-238580 (P2002-238580A)

(43)公開日 平成14年8月27日(2002.8.27)

						* * * * * * * * * * * * * * * * * * * *
(51) Int.Cl. ⁷		識別記号	FΙ			テーマコート*(参考)
C 1 2 N	15/09	ZNA	A01H 5/	/00	1	A 2B030
A01H	5/00		C12N 9/	/10		4B024
C12N	5/10		C12P 21/	/02		C 4B050
	9/10		C12N 15/	/00	ZNA	A 4B064
C 1 2 P	21/02		5/	/00		C 4B065
	·		·		請求項の数 6	OL (全 32 頁)
(21)出願番号		特顧2001-44359(P2001-44359)	(71)出顧人	59219610	D1	
				谷口 直	泛	
(22)出願日		平成13年2月20日(2001.2.20)		大阪府豊	中市上野東2-	-19-32-201
			(71)出顧人	59816968	36	
			6.1	関 達米	1	
				大阪府第	(面市箕面 5 - 1	3-53-209
			(71)出顧人	59816969	37	
			j	藤山 和	1仁	
				大阪府叻	(田市山田西1-	-28 A18-308
			(74)代理人	10007828	32	
			:	弁理士	山本 秀策	
						最終頁に続く

(54) 【発明の名称】 動物型糖鎖付加機能を持つ植物細胞

(57) y vae f R[h • Ø 'q"\$

.. . <u>ā</u>_

N., Pierce, M. Isolation, Characterization, and Expression of a cDNA Encoding N-Acetylglucosaminyltransferase V. (1993) J. Biol. Chem. 268, 15381-1538

11310		. v .	(1)			LOI.	CHE			.5501	100	,0
5)	В	f		s	1	u	"	A		9,6	V	重
	m	[X	C			A	t	C	0	- 1	雞
	A	m	1	A	Z	`		0		R	T	*
P	С	U			-	m	- 1	Α	Z	`		肇
	G	}	•	Ø	₿							
У	0	0	R	W	z	u		^		р	N	4
Х	С			m]	Α	Z	`		0		季
"	A	С			fi	n			R			蓋
_	v	"	D			>	Α	q	g		R	荔
У	0	0	R	Х	z	u		^		р	N	4
Х	С			m	1	Α	Z	`		0		季
"	А	_		У	f		R	[h	•	Ø	酰
`	h	z	æ		р	¢	~	С			fi	歗
	А	s						W			~	套
>	»		K				/			~		B
ß	<u>a</u>	"		J		쥞						_
У	0	0	S	0	z	Æ	f		Α	f		難
"	А	P	g	Α	E	V				М	ß	4
Œ	~	¢	Ø	В	z	æ		Ł	‡	Œ	0)60	董
			z	æ	Ħ				Ł	‡	Œ	差
	}	Т	a	⊯								
У		0	S	P	z	{				-	"	糞
q		"		¢	/	В		`	q		"	*
-	А	v			[^	[А	I	У		垂
[§		z		难		-		
У	0	0	S	Q	z	u				^		萋
_	Œ	Ø	Α	n		n	¢	~	{		>	
/	В				^		р	N	٤		Æ	*
	0	J	С		А	R	•	А	v	N	`	•
N	ż			"				Œ	Ø	В	У	麓
У		I	L	V		[[Α	L	i	[<u>#</u>
i		-	_		_	•	٠	_	-		Ì	•
_ 	K		N	g	V		[[A	t	В	Ā
,	1			,		_	•	•				
	•		j	A	g	1	f	1	b		`	

(8) J Q 0 0 13 14 J F m g Q Α 0 Ι i 0 Α S S D U Q T 6 Α Α 0 n Ď s j 0 k b s ¥ х 0 A 6 0 0 U Ρ g У z Ρ ¥ х g F Q A di U Z 0 f В G F Ρ 0] g ¥ х i 0 ¤ Ρ T } Ρ U } Ρ V f g a F 0 D∜ 0,50 f < У t Α F F R 0 4] Ø f 🗱 u 1 i N Q 10 J R 0 0 U V У z Α 1 E ¤ þ u Α Α ¤ 0 ь S J F Т b Ρ Wo Α Α i U Q Т 0 Œ Α j 0 0 U W У F 0 D Ρ D Α 鬒 n 0 g p Α i F 0 D Q Ρ D Р D j n a g p ¤ 3 i Ĵ R Ε i Х f 0 В G F 0 D a х Q j p g i 0 Т ¢ i g ¤ п S 9,6 F Ρ DŐ 20 [Α Α [0 F u 1 i N F R Q 0 0 b Ρ Ł E J R У 0 0 U Χ z i Ρ D Q D i V D « Ł j Ħ «

0

У

0 2

" A S						
株	遺伝子型および特徴	参考文献				
Escherichia coli JM109	recAl, endAl, gyrA96, thi, hadR 17, supE 44,	Yanisch-Perron C 5 (*)				
	relAl, Δ (lac-proAB) /F' [traD 36, proAB',					
	lacle, lacZAMI5]					
Agrobacterium	Str , Rif	Jen. G.C.5 (**				
tunefaziens LBA4404	バイナリーベクターのI-DNA領域の)				
	移入を容易にするために必要な、	[
	トランスに作用する病原性(virul					
	ence)機能を有する					

(*) Yanisch-Perron C, Vieira J. Messing J. Improved M13 phage clonin g vectors and host strains: nucleotide sequences of the Mi3mpl8 and pUC1 9 vectors. (1985) Gene 33, 103 119 (**) Jen, G.C., Chilton, M. D. The right horder region of pTiT37 T-DNA is intrinsically more active than the left border region in promoting T-DNA transformation. (1986) Proc. Natl. Acad. Sci. USA. 83, 3895-3899

0 ₽z D р Χ У 0 В ¥R

Х Ρ

> В } P U

96

У f t

f

表3. 使用プラスミド

プラスミド	遺伝子型および特徴	参考文献
pBI121		Ifferson, R.A. 5 (*)
pRK2013	Kmr	Bevan, M. (**)
	3 親交配により、E.col	
	iからA. tunefaciensにパ	
	イナリーペクター中の構	
	築物を移動するために用	
	いた接合プラスミド	

- (*) Ifferson, R. A., Kavanagh, T. A., Bevan, M. W. GUS fusion: &-glucuronidase as a sensitive and versatile gene fusion in higher plants.
 (1987) EMBO. J. 6, 3901-3907
- (**) Bevan, M. Binary Agrobacterium vectors for plant transformation. (1984) Nucleic Acids. Res. 12, 8711-8721.

```
(11)
                                                                         J
                                                                            Q
                      19
                                                                       20
hia coli JM109
               Α¤
                                   FRK2013
                              W
                                                     ]
     Escherichia coli
                      A \gg 0 E 0 20 mg/1
                                           J ‡
                                                    0
                                                        O X T z
                                                                      P U
                                                 У
             2 \text{YT | n -
                             R V
                                       Α
                                                                      MNeasy Plant Mini Kit (Q
                                                        U D P D
                      Χ
                                 ®0 mg/l A
                                                 i
                                                     Ρ
                          g
     s 100 mg/l
                   2 ¥T |
                            a8
                                   Α
                                      Q.
                                         -{
                                                IAGEN)
                                                                    s
                                                          р
                                                 ¢
%B
                                                                   0,60
                                                                      a A
                                                                            >>
                               1 {
                                                            F
    0 0 X 0 z e
                                       t #
 У
                                         ~ Æ ~
       W (10,000 rpm, 1 min)
                               Α
                                  >>
                                                     0
                                                            X
                                                              U
                                                                      i
             Ρ
                           R YT | n
                æ
                                       w 🟚 10
               ¢
 0,0
    В
                         [
                            u
     E
                             Ι
     Α
               S
                         R
                             \mathbb{P}
                                n
                                   ٤
        28
                      Ν
                                Ε
        V
 a
                                       B 🛣
 Ł
            {
m I\!\! P}
                                   h
 Q
            1
                                P 🗱
                     P
                         S
                            D
 У
                 Z
                                                      2 B
 d
                 An, G., Ebert, P. R. Mitra,
                                                        O X V z 🔄
                                                 У
A. and Ha, S. B. (1988) Binary vectors. In plant M 20
                                                               † ¥ A P€CR
                                                     {
                                                            Α
olecular Biology manual, A3, 1-19, AcademicDordrec
                                                 L
                                                            ß
                                                               @
                                                                      ] ¢
                                                                            Α
          ] ` %
                                                       f 1 DNA 2 1, 10 PCR buffer 5 1,
                                                 i %
 у О
           X Q z i P S D P D 🐞
                                                dNTPs(2.5mM) 4 ° 1, primer(50 pmol), Tag polymeras
    0
                         С
                                [ t #5 ml
                      }
                                                e (
            ^ 25 27

    x #20rpm

                                                          38
     Œ
 х
            {
                  S
                         050
                            В
                                V
                                   œ
                                          2
                                                ( %
                                                            j ₿4
                                                                    5 " A4
                                                                              1 "
                                                                                       М
                                                                                           ₹ 62
                                                            j 🗗 1 "
                                                                                       С
                                                                            L • 230 T
           Αps
                                                        Α
                                                                   " B
           X R z i P
                                                        72
     0
        0
                                                     Α
                                                                             ¤ A A
 У
                            S
                                D
                                       D
     \P
                                                 С
 R
                                                     }
               Ľ
                                          A 30
                                                     0
 0
                     a h
                            n
                                      Χ
                                                 У
                                                        0
                                                            Χ
                                                               W
                                                                   z P
        e EBA4044 )100 ľ ~
                          Α
                                      S
                                                 i
                                                     Ρ
                                                        W
                                                            D
                                                               Ρ
                                                                  D NA PCR Kit Ver. 2. 1 i
                                                     ¢
           E fal
                           -
                                        025
                                                        j
                                                               р
                                                                 Mit
                                                                          t fi AgCl<sub>2</sub> 5 m
               - a ce a A V
                                                M 4 1 RNase Inhibitor(1U/ 1)0.5 1 Reverse Tr
                                   1
                                         t
                                                anscriptase(0.25U/ 1) 1 1 \lambda0 ~ RNA PCR buffer 2
 S
                 $1,000 rpm, 5 min)
                                        Ła
                                   b g 🕱
                                                1 A RNase Free 10 8.5 ° 1 ANTPs (1mM) 2 1 RN 1)
                            У
                                Ε
                                          1 I Aligo dT-Adaptor Primer(0.125 °M)1 I A
                     0
                               N
                                   е
                                                     †
                                                        RNA1 1
                                                                              Α
                            0
 R
             围
                       n
                                       薬50
                    1
 lng/1 1
         A N
                  f00 kg/l l
                                                ( %
                                                         50
                                                              30 " 99
                                                                           5 "4
 V
                                            40
                                                    Т
                                                        C NB
                                                 Ρ
 Т
                 38
                                         ×
                                                        O X X z
                   ab.
                                    J
                                                 у О
                                                                      i
                                                                         Ρ
                                                                             W D
                                                ( %
                                                         n j F a L P BEDNA 5 1 A0 ~
     Α
           {
m I\!\!P}
                         fl
                            l⊈S f
                                    V
                                       l n
                  خ
                      ¢
                         Ø
                                                RNAPCR buffer 4.5 1 ANTPs(2.5mM) 3 1 Arimer(5
     Α
                            N
                                   [ 🐞 T
                        N
                             [
                                        ΑN
                                                0 pmol ) ALaq polymerase (
                                                                         $ 5 units/ 1) 0.5
                                                 1,MgCl<sub>2</sub> (5 mM) 3 1 A - 50 1
                                                                                " ø >
        B00 kg/l l
                         ĽS t
                                   $5ml
                                                 f B
          1 {
       O X S z P
                                                ( %
                         T D ^ O R R
                                                                   5 " A4
                                                                                          M2
                                                            j 194
                                                1 "
                                                                     1 "
                                                         А ј 🗘 2
                                                                                       Т
                                                                     в "
                                                        ¤ 72
                                                                 4 "
DNeasy Plant Mini Kit (QIAGEN)
                                 р
                                        B ^
                                                     Α
                                                                                Α
       1 {
                  Ε
                                   f
                                          50
                                                 С
                                                    }
                                                        [
                         t
```

Cys Ser Phe Phe Ile Tyr Leu Ser Glu Val Glu Asn Trp Cys Pro His

185 190 195

tta cct tgg aga gca aaa aat ccc tac gaa gaa gct gat cat aat tca 797 Leu Pro Trp Arg Ala Lys Asn Pro Tyr Glu Glu Ala Asp His Asn Ser 200 205 210

ttg gcg gaa att cgt aca gat ttt aat att ctc tac agt atg atg aaa 845 Leu Ala Glu Ile Arg Thr Asp Phe Asn Ile Leu Tyr Ser Met Met Lys 215 220 225 230

aag cat gaa gaa ttc cgg tgg atg aga cta cgg atc cgg cga atg gct 893
Lys His Glu Glu Phe Arg Trp Met Arg Leu Arg Ile Arg Arg Met Ala
235 240 245

gac gca tgg atc caa gca atc aag tcc ctg gca gaa aag cag aac ctt 941
Asp Ala Trp Ile Gln Ala Ile Lys Ser Leu Ala Glu Lys Gln Asn Leu
250 255 260

gaa aag aga aag cgg aag aaa gtc ctc gtt cac ctg gga ctc ctg acc 989
Glu Lys Arg Lys Arg Lys Val Leu Val His Leu Gly Leu Leu Thr
265 270 275

aag gaa tot gga ttt aag att gca gag aca gct tto agt ggt ggc cct 1037 Lys Glu Ser Gly Phe Lys Ile Ala Glu Thr Ala Phe Ser Gly Gly Pro

280 285 290

ctt ggt gaa tta gtt caa tgg agt gat tta att aca tct ctg tac tta 1085 Leu Gly Glu Leu Val Gln Trp Ser Asp Leu Ile Thr Ser Leu Tyr Leu 295 300 305 310

ctg ggc cat gac att agg att tca gct tca ctg gct gag ctc aag gaa 1133 Leu Gly His Asp Ile Arg Ile Ser Ala Ser Leu Ala Glu Leu Lys Glu 315 320 325

atc atg aag aag gtt gta gga aac cga tct ggc tgc cca act gta gga 1181

Ile Met Lys Lys Val Val Gly Asn Arg Ser Gly Cys Pro Thr Val Gly

330 335 340

gac aga att gtt gag ctc att tac att gat att gta gga ctt gct caa 1229
Asp Arg Ile Val Glu Leu Ile Tyr Ile Asp Ile Val Gly Leu Ala Gln
345 350 355

ttc aag aaa act ctt gga cca tcc tgg gtt cat tac cag tgc atg ctc 1277

28

	21														20
Phe Lys	_	Thr	Leu	Gly	Pro 365	Ser	Trp	Val	His	Tyr 370	Gln	Cys	Met	Leu	
cga gto	ctt	gat.	tca	ttt	aat.	act	gaa	CCC	gaa	ttt	aat	cat.	aca	aat.	1325
Arq Val		-			-		-		-				-		1020
375				380	1				385					390	
tat gcc	caa	tcg	aaa	ggc	cac	aag	acc	cct	tgg	gga	aaa	tgg	aat	ctg	1373
Tyr Ala	Gln	Ser	Lys	Gly	His	Lys	Thr	Pro	Trp	Gly	Lys	Trp	Asn	Leu	
			395					400					405		
aac cct	. cag	cag	ttt	tat	acc	atg	ttc	cct	cat	acc	cca	gac	aac	agc	1421
Asn Pro	Gln	Gln	Phe	Tyr	Thr	Met	Phe	Pro	His	Thr	Pro	Asp	Asn	Ser	
		410					415					420			
ttt cto	agg	ttt	gtg	gtt	gag	cag	cac	ctg	aac	tcc	agt	gat	atc	cac	1469
Phe Leu	-	Phe	Val	Val	Glu		His	Leu	Asn	Ser		Asp	Ile	His	
	425					430					435				4540
cac att		-				_		_							1517
His Ile		GIu	me	Lys	_	GIn	Asn	GIn	Ser		Val	Tyr	GIY	Lys	
440 gtg gat		ttc	taa	220	445	220	220	at a	+=0	450	ana.	att	a++	Cac	1565
Val Asp	-			-		_	-			-	-				1303
455	, per	THE	пр	460	A311	цуз	Буз	110	465	шец	лэр	110	116	470	
aca tac	at.o	gaa	at.a		σса	act.	at.t.	tat		taa	agg	aca	aac		1613
Thr Tyr	_	-			-		-				_		-		
1 -			475					480	1				485		
att ccc	agt	tac	gtg	aaa	aac	cat	ggt	atc	ctc	agt	gga	cgg	gac	ctg	1661
Ile Pro	Ser	Tyr	Val	Lys	Asn	His	Gly	Ile	Leu	Ser	Gly	Arg	Asp	Leu	
		490					495					500			
cag tto	ctt	ctt	cga	gaa	acc	aag	ttg	ttt	gtt	gga	ctt	ggg	ttc	cct	1709
Gln Phe	Leu	Leu	Arg	Glu	Thr	Lys	Leu	Phe	Val	Gly	Leu	Gly	Phe	Pro	
	505					510					515				
tac gag			-		_	-	_		-			-	-		1757
Tyr Glu	-	Pro	Ala	Pro		Glu	Ala	Ile	Ala		Gly	Cys	Ala	Phe	
520			4-4		525					530					1005
ctg aat		_	_					_	_				_	_	1805
Leu Asr 535	PLO	гуз	rne	540	PIO	PLO	гуѕ	per	545	гуѕ	ASH	ш	ASP	550	
ttc att	. aac	aad	cca		cta	aga	aaa	cta		taa	сас	cat.	cat.		1853
Phe Ile		-			-	-		-			-				1000
	_	_	555			,		560					565	4	
gct gaa	gtt	ttc	atc	ggg	cgg	cca	cat	gtg	tgg	act	gtt	gac	ctc	aac	1901
Ala Glu	. Val	Phe	Ile	Gly	Arg	Pro	His	Val	Trp	Thr	Val	Asp	Leu	Asn	
		570					575					580			
aat cag	gag	gaa	gta	gag	gat	gca	gtg	aaa	gca	att	tta	aat	cag	aag	1949
Asn Glr	Glu	Glu	Val	Glu	Asp	Ala	Val	Lys	Ala	Ile	Leu	Asn	Gln	Lys	
	585					590					595				
att gag			_			_		-	-			_		-	1997
Ile Glu		Tyr	Met	Pro	_	Glu	Phe	Thr	Cys		Gly	Met	Leu	Gln	
600					605					610					00.15
		$\alpha \alpha +$	ttc	att	паа	aaa	caa	acc	ttc	tac	cat	aaa	caa	ata	2045

								(16)								` Ј
	:	29														30
Arg	Ile	Asn	Ala	Phe	Ile	Glu	Lys	Gln	Asp	Phe	Cys	His	Gly	Gln	Val	
615					620					625					630	
_					_	-		_	-	_		-	gag			2093
Met	Trp	Pro	Pro	Leu	Ser	Ala	Leu	Gln	Val	Lys	Leu	Ala	Glu	Pro	Gly	
				635					640					645		
cag	tcc	tgc	aag	cag	gtg	tgc	cag	gag	agc	cag	ctc	atc	tgc	gag	cct	2141
Gln	Ser	Cys	Lys	Gln	Val	Cys	Gln	Glu	Ser	Gln	Leu	Ile	Cys	Glu	Pro	
			650					655					660			
			-				-	-	-	-	-	_	aag		_	2189
Ser	Phe		Gln	His	Leu	Asn	_	Asp	Lys	Asp	Met		Lys	Tyr	Lys	
		665					670					675				
		-		-			_	-	_	-		-	gtg			2237
Val		Cys	Gln	Ser	Ser		Leu	Ala	Lys	Asp		Leu	Val	Pro	Ser	
	680					685					690					
	_		_		_		-					-	ctc	_		2285
	Asp	Pro	Lys	Asn	_	His	Cys	Val	Phe		Gly	Asp	Leu	Leu		
695					700					705					710	
	-	_	-		-					_		-	tgc		-	2333
Phe	Ser	Cys	Ala		Ala	His	Pro	Arg		Gln	Arg	Val	Cys		Cys	
				715					720					725		
	-			_		_		-		-		-	tgc			2378
Arg	Asp	Phe		Lys	Gly	Gln	Val		Leu	Cys	Lys	Asp	Cys	Leu		
			730					735					740			
_	-	cac (ctgct	tcago	cc ct	Lgca(cat	gcto	gctg	ggga	aga	cagt	ggc (ccc		2431
<210																
	L> 74															
	2> PI															
	3> hu	ıman														
<400		¥	Dl	Th	D	T	T	T	C	C	C1	T	T	G1	T)	
	Ата	Leu	Pne		Pro	irp	ьys	Leu		Ser	GIN	гла	Leu	_	Pne	
1	T -	** 7	mi.	5	G1	I	T1 -		10	1 4-4-		T	.	15		
Pne	Leu	vaı		Pne	GTĀ	Pne	ше		GIĀ	Met	Met	ьeu	Leu	HIS	Pne	
Th	T1_	~1	20	7	Tl	~1·-	D	25	C	C	C	14-4	30	7	C1	
Inr	тте		GIU	Arg	Inr	GIU		GIU	ser	ser	ser		Leu	arg	GIU	
G1	T1_	35	7	T	C	T	40	т	71 -	T	7.1 -	45	7 J -	G1	C1	
GIU		ьeu	ASP	ьeu	ser	_	arg	ıyr	тте	гЛЗ		ьeu	Ala	GIU	GIU	
7	50	7	77-1	T 7_ 1	7	55	D	T	7.1	c1	60	14-4	T1	7.1 -	T	
	arg	АЗП	val	۷đΙ		стХ	Pro	ıyr	ATA		val	Met	Thr	ATA		
65	T	T	T	ጥት	70	n 1 -	77-7	T =	T	75	71	т1_	T	C1	80	
нзр	ьеu	пλя	пλя	85	ьеu	ATd	val	ьeu	ьеu 90	Азр	HSI)	тте	Leu	95	Arg	
				00					20					رر		

Gly Thr Asn Ser Thr Asn Ser Thr Thr Ala Val Pro Ser Leu Val Ala
115

Leu Glu Lys Ile Asn Val Ala Asp Ile Ile Asn Gly Ala Gln Glu Lys
130 135 140

Ile Gly Lys Leu Glu Ser Lys Val Asp Asn Leu Val Val Asn Gly Thr

Lys Trp Met Lys Asp Met Trp Arg Ser Asp Pro Cys Tyr Ala Asp Tyr

1	\circ	

		31													
				165					170					175	
Gly	Val	Asp	Gly 180	Ser	Thr	Cys	Ser	Phe 185	Phe	Ile	Tyr	Leu	Ser 190	Glu	Val
Glu	Asn	Trp 195	Cys	Pro	His	Leu	Pro 200	Trp	Arg	Ala	Lys	Asn 205	Pro	Tyr	Glu
Glu	Ala 210		His	Asn	Ser	Leu 215		Glu	Ile	Arg	Thr 220		Phe	Asn	Ile
Leu 225		Ser	Met	Met	Lys 230		His	Glu	Glu	Phe 235		Trp	Met	Arg	Leu 240
225					250					233					240
Arg	Ile	Arg	Arg	Met 245	Ala	Asp	Ala	Trp	Ile 250	Gln	Ala	Ile	Lys	Ser 255	Leu
Ala	Glu	Lys	Gln 260	Asn	Leu	Glu	Lys	Arg 265	Lys	Arg	Lys	Lys	Val 270	Leu	Val
His	Leu	Gly 275	Leu	Leu	Thr	Lys	Glu 280	Ser	Gly	Phe	Lys	Ile 285	Ala	Glu	Thr
Ala	Phe 290	Ser	Gly	Gly	Pro	Leu 295	Gly	Glu	Leu	Val	Gln 300	Trp	Ser	Asp	Leu
Ile 305	Thr	Ser	Leu	Tyr	Leu 310	Leu	Gly	His	Asp	Ile 315	Arg	Ile	Ser	Ala	Ser 320
Leu	Ala	Glu	Leu	Lys 325	Glu	Ile	Met	Lys	Lys 330	Val	Val	Gly	Asn	Arg 335	Ser
Gly	Cys	Pro	Thr 340	Val	Gly	Asp	Arg	Ile 345	Val	Glu	Leu	Ile	Tyr 350	Ile	Asp
Ile	Val	Gly 355	Leu	Ala	Gln	Phe	Lys 360	Lys	Thr	Leu	Gly	Pro 365	Ser	Trp	Val
His	Tyr 370	Gln	Cys	Met	Leu	Arg 375	Val	Leu	Asp	Ser	Phe 380	Gly	Thr	Glu	Pro
Glu 385	Phe	Asn	His	Ala	Asn 390	Tyr	Ala	Gln	Ser	Lys 395	Gly	His	Lys	Thr	Pro 400
Trp	Gly	Lys	_	Asn 405		Asn							Met	Phe 415	
His	Thr	Pro											Gln 430		
Asn	Ser	Ser 435		Ile	His	His	Ile 440		Glu	Ile	Lys	Arg 445	Gln	Asn	Gln
Ser	Leu 450		Tyr	Gly	Lys	Val 455		Ser	Phe	Trp	Lys 460		Lys	Lys	Ile
Tyr 465	Leu	Asp	Ile	Ile	His 470	Thr	Tyr	Met	Glu	Val 475	His	Ala	Thr	Val	Tyr 480
Gly	Ser	Ser	Thr	Lys 485	Asn	Ile	Pro	Ser	Tyr 490	Val	Lys	Asn	His	Gly 495	Ile
Leu	Ser	Gly	Arg 500	Asp	Leu	Gln	Phe	Leu 505	Leu	Arg	Glu	Thr	Lys 510	Leu	Phe
Val	Gly	Leu 515	Gly	Phe	Pro	Tyr	Glu 520	Gly	Pro	Ala	Pro	Leu 525	Glu	Ala	Ile
Ala	Asn 530	Gly	Cys	Ala	Phe	Leu 535	Asn	Pro	Lys	Phe	Asn 540	Pro	Pro	Lys	Ser

Ser Lys Asn Thr Asp Phe Phe Ile Gly Lys Pro Thr Leu Arg Glu Leu

545 550 555 560 Thr Ser Gln His Pro Tyr Ala Glu Val Phe Ile Gly Arg Pro His Val 570 565 Trp Thr Val Asp Leu Asn Asn Gln Glu Val Glu Asp Ala Val Lys 585 Ala Ile Leu Asn Gln Lys Ile Glu Pro Tyr Met Pro Tyr Glu Phe Thr Cys Glu Gly Met Leu Gln Arg Ile Asn Ala Phe Ile Glu Lys Gln Asp 615 Phe Cys His Gly Gln Val Met Trp Pro Pro Leu Ser Ala Leu Gln Val 630 635 Lys Leu Ala Glu Pro Gly Gln Ser Cys Lys Gln Val Cys Gln Glu Ser 645 650 Gln Leu Ile Cys Glu Pro Ser Phe Phe Gln His Leu Asn Lys Asp Lys 660 665 Asp Met Leu Lys Tyr Lys Val Thr Cys Gln Ser Ser Glu Leu Ala Lys 680 Asp Ile Leu Val Pro Ser Phe Asp Pro Lys Asn Lys His Cys Val Phe

Gln Gly Asp Leu Leu Leu Phe Ser Cys Ala Gly Ala His Pro Arg His 705 710 715 720 720 735 725 725 725 725 735 735

695

Cys Lys Asp Cys Leu

690

740

Т Α Х R Q ${\tt R}$ Х У У ØВ Т z У q N Ι f æ Т k N q Ι f } U z В VУ B W У Ø Χ

y } ₽

N-linked chain


1) High mannose type

Man α 1-2 Man α 1-6 Man α 1 Man α 1-2 Man α 1 Man α 1-2 Man α 1 Man β 1-4GlcNAc β 1-4GlcNAc β 1-4GlcNAc β 1-4GlcNAc

2) Complex type


Sia a 2- 6Gal β 1- 4GlcNAc β 1- 2Man a 1— 6 Man β 1- 4GlcNAc β 1- 4GlcNAc Sia a 2- 6Gal β 1- 4GlcNAc β 1-2 Man a 1— 3

3) Hybrid type




y } Ø


1) Mammalian cell type




2) Plant cell Type




y } ℝ



y } 2





v } Ž

ATGCCTCTCTCACTCCGTGGAAGTTGTCCTCTCAGAAGCTGGGCTTTTTCCTGGTGACT METAlaLeuPhcThrProTrpLysLeuSerSerGlnLysLeuGlyPhePheLeuValThr

TTTGGCTTCATTTGGGGTATGATGCTTCTGCACTTTACCATCCAGCAGCGAACTCAGCCT PheGlyPheIleTipGlyMETMETLeuHisPheThrileGlnGlnArqThrGlnPro

GAAAGCAGCTCCATGCTGCGCGAGCAGATCCTGGACCTCAGCAAAAGGTACATCAAGGCA GlusetsetsetnetleuargGluGlnIleleuaspleusetlysatgTytilelysala

CTGGCAGAAGAAACAGGAATGTGGTGGATGGGCCATACGCTGGAGTCATGACAGCTTAT Leualaglugluasnargasnvalvalaspglyprotyralaglyvalmetthralatyr

GATCTGAAGAAAACCCTTGCTGTGTTATTAGATAACATTTTGCAGCGCATTGGCAAGTTG AspleulyslysthxleualavalleuleuaspasnileleuGinargileGlylysleu

ACAGCTGTTCCCAGCTTGCTTGCACTTGAGAAAATTAATGTGGCAGATATCATTAACGGA ThrAlavalProSorLeuValAlaLeuGluLysIleAsnValAlaAspileIleAsnGly

GCTCRAGAAAAATGTGTATTGCCTCCTATGGACGCCTACCCTCACTGTGAGGCAAAGATC AlaGluGluLyaCysValLeuProProMETAspGlyTyrProHisCysGluGlyLysIle

TCCACCTGCTCTTTTTTTATTTACCTCAGTGAGGTTGAAAATTGGTGTCCTCATTTACCT SerthrCysSerPhePheIleTyrLeuSerGluValGluAsnTrpCysProRisLeuPro

TGGAGAGCAAAAATCCCTACGAAGAAGCTGATCATAATTCATTGGCGGAAATTCGTACA TrpArgAlalysAsnProTyrGluGluAlaAspHisAsnSerLeuAlaGluIleArgThr

CATTTTAATATTCTCTACAGTATGATGAAAAAAGCATGAAGAATTCCGGTGGATGAGACTA Asppheasnileleutyssernetmetlyslyskisgluglupheargtrpmetargleu

CGCATCCGCCGAATGGCTGACGCATGGATCCAAGCAATCAAGTCCCTGGCAGAAAAGCAG ArgileargArgMETAlaaspalatrpile6ldalailelys8erLeuAlaGluLysGln

AACCTTGAAAAGAGAAAGCGGAAGAAAGTCCTCGTTCACCTGGGACTCCTGACCAAGGAA AsnLeuGluLysArgLysArgLysLysValLeuValHisLeuGLyLeuLeuThrLysGlu

TCTGGATTTAAGATTGCAGAGACAGCTTTCAGTGGTGGCCCTCTTGGTGAATTAGTTCAA SerGlyPholysileAlaGluThtAlaFheSerGlyGlyProLeuGlyGluLeuValGln

TGGAGTGATTTAATTACATCTCTGTACTTACTGGGCCATGACATTAGGATTTCAGCTTCA TrpSerAspleulleThrSerLeuTyrLeuLeuGlyHisAsplleArglleSerAlaSer

CTGGCTGAGCTCAAGGAAATCATGAAGAAGGTTGTAGGAAACCGATCTGGCTGCCCAACT LauAlaGluLauLyaGluIlaMETLyaLyaValValGlyAanArgSarGlyCyaFroThr

GTAGGAGACAGAATTGTTGAGCTCATTTACATTGATATTGTAGGACTTGCTCAATTCAAG ValGlyAspArgileValGluLeulleTyrlleAspIleValGlyLeuAlaGlnPheLys

AAAACTCTTGGACCATCCTGGGTTCATTACCAGTGCATGCTCCGAGTCCTTGATTCATTT LysThrLeuGlyProSerTrpValEisTyrGlnCysMETLeuArgValLeuAspSerPhe

GGTACTGAACCCGAATTTAATCATGCAAATTATGCCCAATCGAAAGGCCACAAGACCCCT GlythrGluFroGluFheAsnHisAlaAsnTyrAlaGlnSerLysGlyHisLysThrPro

v } 20

TGGGGAAAATGGAATCTGAACCCTCAGCAGTTTTTATACCATGTTCCCTCATACCCCCAGAC TrpGlyLyaTrpAsnLeuAsnProGlnGlnPheTyrThrMETPheProHisThrProAsp

ARCAGCTTTCTGGGGTTTGTGGTTGAGCAGCACCTGAACTCCAGTGATATCCACCACATT AsnSerPheLeuGlyPheValValGluGlnHisLeuAsnSerSerAspIleHisHisIle

AATGAAATCAAAAGGCAGAACCAGTCCCTTGTGTATGGCAAAGTGGATAGCTTCTGGAAG AsnGluIleLysArgGlnAsnGlnSerLeuValTyrGlyLysValAspSerPheTrpLys

GGCTCCAGCACAAAGAATATTCCCAGTTACGTGAAAAACCATGGTATCCTCAGTGGACGG GlySerSerThrlysAsnIleProSerTyrValLysAsnHigGlyIleLeuSerGlyArg

GACCTGCAGTTCCTTCTTCGAGAACCAAGTTGTTTGTTGGACTTGGGTTCCCTTACGAG AspleuGlnPhoLouLeuArgGluThrLysLouPhoValGlyLouGlyPhoProTyrGlu

GGCCCAGCTCCCCTGGAAGCTATCGCAAATGGATGTCTTTTCTGAATCCCAAGTTCAAC GlyProAlaProLeuGluAlaIlaAlaAsnGlyCysAlaPheLeuAsnProLysPheAsn

CCACCCAAAAGCAGCAAAAACACAGACTTTTTCATTGGCAAGCCAACTCTGAGAGAGCTG ProProLysSerSerLysAsnThrAspPhePheIleGlyLysProThrLeuArgGluLeu

ACATCCCAGCATCCTTACGCTGAAGTTTTCATCGGGCGCCACATGTGTGGACTGTTGAC ThrSexGlnHisProTyxAlaGluValPhelleGlyArgProHisValTrpThrValAsp

CTCAACARTCAGGAGGAGGTAGAGGATGCAGTGAAAGCAATTTTAAATCAGAAGATTGAG LeuAsnAsnGlnGluGluValGluAspAlaValLysAlaIleLeuAsnGlnLysIleGlu

CCATACATGCCATATGAATTTACGTGCGAGGGGATGCTACAGAGAATCAATGCTTTCATT ProfyrMETFrofyrGluPheThrCysGluGlyMETLeuGlnArgIleAsnAlaPheIle

GAAAAACAGCACTTCTGCCATGGGCAAGTGATGTGGCCACCCCTCAGGGCCCTACAGGTC
GluLyaGlnAspPhaCysHisGlyGlnValMETT;pProProLeuSerAlaLeuGlnVal

AAGCTTGCTGAGCCCGGCCAGTCCTGCAAGCAGGTGTGCCAGGAGCCAGCTCATCTGC LysLeuAlaGluProGlyGlnSerCysLysGlnValCysGlnGluSerGlnLeuIleCys

GAGCCTTCTTCTCCACCACCTCAACAAGGACAAGGACATGCTGAAGTACAAGGTGACC GluProSerPhePheGluHisLeuAsaLysAspLysAspMETLeuLysTyrLysValThr

TGCCAAAGCTCAGAGCTGGCCAAGGACATCCTGGTGCCCTCCTTTGACCCTAAGAATAAG CysGlnSerSerGluLeuAlaLysAspIleLeuValFroSerPheAspProLysAsnLys

CACTGTGTGTTTCAAGGTGACCTCCTGCTCTTCAGCTGTGCAGGCGCCCACCCCAGGCAC HisCysValPheGlnGlyAspLeuLeuLeuPheSerCysAlaGlyAlaHisProArgHis

CAGAGGGTCTGCCCTGCCGGGACTTCATCAAGGGCCAGGTGGCTCTCTGCAAAGACTGC GlnArgValCysProCysArgAspPheIleLysGlyGlnValAlaLeuCysLysAspCys

CTATAG Leu*** y } 🗷

PA057

Man α 1·6·Man β 1· 4GlcNAc β 1· 4GlcNAc·PA

PA016

Man α 1-6 Man β 1- 4GlcNAc β 1- 4GlcNAc-PA Man α 1-3

PA018

GlcNAc β 1- 2Man α 1 6 Man β 1- 4GlcNAc β 1- 4GlcNAc-PA GlcNAc β 1- 4 Man α 1 GlcNAc β 1- 2

PA014

GlcNAc β 1- 6

Man α 1

GlcNAc β 1- 2

6

Man β 1- 4GlcNAc β 1- 4GlcNAc-PA

GlcNAc β 1- 4

Man α 1

GlcNAc β 1- 2

PA002

Gal-GleNAc β 1- 2Man α 1

8

Man β 1- 4GleNAc β 1- 4GleNAc-PA

3

Gal-GleNAc β 1- 2

Gal-GleNAc β 1- 2

Gal-GleNAc β 1- 2

Man α 1

Sugar chain Gal3Gn3M3

Gal-GleNAc β 1- 2Man α 1

8

Man β 1- 4GleNAc β 1- 4GleNAc

Gal-GleNAc β 1- 4

Man α 1

Gal-GleNAc β 1-2


PA : Pridylamino(group)

Gal : Galactose

GlcNAc : N-Acetylgulusosamine


Man : Mannnose

у } 🗷



y } X


A




В



(Clone number)









y } **€**


A



 \mathbf{B}



y } **E**



у } ₽

(反応条件)

120mM Mes バッファー(pH7.0)
300mM N-アセチルグルコサミン
15mM MnCl₂
0.5% TritonX-100
4pmol PA 化精鎖
308mM UDP-N-アセチルグルコサミン

0.1~0.8 µg タンパク質試料 (ミクロソーム面分)

Glenae \beta 1-2Man \alpha 1

Man \beta 1-4Glenae \beta 1-4Glenae Asn

Glenae \beta 1-2

UDP-Glenae

Glenae \beta 1-6

Man \alpha 1-4Glenae \beta 1-4

Glenae \beta 1-2

Man \beta 1-4Glenae \beta 1-4Glenae Asn

Glenae \beta 1-2


Man \beta 1-4Glenae \beta 1-4Glenae Asn

Glenae \beta 1-4


Man a 1

GlcNAc β 1—2










y } R




y } **B**



PA014 N-ア セチルヘキソ サミニダーゼ 処理

BY2-GnT-V#91 Product N-アセチル ヘキソサミニダーゼ 処理

BY2-GnT-V#91 Product 酵素未添 加



Standard

0 hour

4 hour

8 hour

20 hour

